

# MODEL 55-0027 FIXED MOTOR BRACKET



#### INSTALLATION MANUAL REV 12/15

CUSTOMER MUST RECEIVE THIS MANUAL AFTER INSTALLATION

#### **INSTALLATION PROCEDURES**

Congratulations, you have just purchased one of the finest outboard motor brackets available today. With proper installation and care, this motor bracket will provide you with years of trouble free use and performance.

Please take a few moments to review the information contained in the instructions to familiarize yourself with the installation procedures suggested to successfully mount your new motor bracket. Installation is easy particularly when you know each step ahead of time.

#### **ASSEMBLY OF BRACKETS**

The *Model 55-0027* is designed so you can adjust the height of the bracket. Determine which height adjustment best suits your needs and assemble according to the following instructions.

- Step 1. Align the motor plate mounting holes to the height adjustment holes of the transom plate. The motor plate has the Panther label. Make sure that the motor plate is attached as shown in the picture. The picture shows the bracket **fully extended**.
- Step 2. Put a washer onto a bolt and insert the bolt through the plates as shown in picture. Install washer and nut on other end and hand tighten. Finish installing the remaining bolts, washers, and nuts in the same manner. Securely tighten <u>all bolts.</u>


#### MOUNTING THE BRACKET TO THE BOAT

Place the assembled bracket on the desired location of your transom. Hold the bracket in place. Make <u>certain</u> that the transom bracket is <u>level</u>. Mark <u>at least</u> two (2) upper and two (2) lower hole locations using the transom plate as a template. Drill out the marks you just made using a  $\frac{1}{2}$ " drill bit. Attach bracket to boat using appropriate length bolts, nuts, and washers. <u>Tighten securely.</u>

\*\*\*\* Stainless Steel mounting hardware is recommended (not included). \*\*\*\*

#### **HANGING THE MOTOR**

Lift your motor onto the bracket. Position the plastic spacer block under the motor clamp handles and against the lip of the bracket. <u>Tighten securely.</u>



HOLE PATTERN, TRANSOM

### SERVICE AND WARRANTY

Should your unit ever require service, *please do not return the product to your dealer*. Please call the number below for special instructions on shipping and handling. Please call between 9:00 am - 3:00 pm (Central Standard Time) Monday through Friday. If service is required and covered by warranty, it will be repaired or replaced as described below. If service is required and not covered by warranty, (such as damage caused from improper trailering or from water intrusion through the breather tube), replacement parts are available for purchase and may be paid for by Visa or MasterCard.

## The warranty coverage on this equipment is limited to the terms set forth below:

MarineTech Products, Inc. warrants this product to be free of defects in material and workmanship for a period of ONE (1) YEAR from the date of original retail purchase. **Positive proof of date of purchase is required for warranty service.** If service is required and covered by warranty, the unit will be repaired or replaced with new or factory rebuilt parts at no charge. The defective components must be returned to the address specified, with shipping charges prepaid. Be sure to include your name, address, telephone number and a copy of the sales receipt showing the date of original retail purchase. All sales receipts are subject to verification.

This warranty does not apply if the unit has been damaged by accident, abuse, misuse, poor installation or misapplication, or if it has been modified from its original condition, or if any serial number has been removed or defaced or altered. **This warranty does not cover any expense to remove or reinstall the unit or any of its components**. If a returned unit is not covered by warranty, the sender will be notified and given an estimate of the charges to repair or replace the unit, together with the return shipping charges.

THIS WARRANTY DOES NOT COVER SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES RESULTING FROM ANY BREACH OF WARRANTY, OR UNDER ANY OTHER LEGAL THEORY, INCLUDING BUT NOT LIMITED TO DAMAGE TO OR REPLACEMENT OF OTHER EQUIPMENT AND PROPERTY. THE WARRANTY AND REMEDIES SET FORTH ARE EXCLUSIVE AND IN LIEU OF ALL OTHERS, WHETHER ORAL OR WRITTEN, EXPRESS OR IMPLIED. DUE TO THE SPECIAL AND UNIQUE CONDITIONS THAT MAY EXIST IN EACH APPLICATION, THE MANUFACTURER SPECIFICALLY DISCLAIMS ANY AND ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. NO DEALER, AGENT OR EMPLOYEE IS AUTHORIZED TO MAKE ANY MODIFICATION, EXTENSION OR ADDITION TO THIS WARRANTY.

Some states do not allow exclusion of incidental or consequential damages, so the above exclusions may not apply to you. This warranty gives you specific legal rights, and you may also have other legal rights, which may vary from state to state.

#### FOR SERVICE send an email to - info@marinetechproducts.com or call 651.486.2010 MARINETECH PRODUCTS, INC

1360 East County Road E VADNAIS HEIGHTS, MN 55110 www.marinetechproducts.com MarineTech Products, Inc. is proud to offer these fine lines.



SOLUTIONS FOR MOTOR MOUNTING, REMOTE STEERING, TILT & TRIM, SHALLOW WATER ANCHORS, AND SECURITY SYSTEMS



THE ORIGINAL ENGINE-MOUNTED ELECTRIC TROLLING MOTORS— HIGH THRUST WITH WHISPER-QUIET EFFICIENCY



ROD HOLDERS, TROLLING MOTOR SUPPORTS, AND GPS/SONAR MOUNTS



AUXILIARY OUTBOARD MOTOR STEER SYSTEMS



THROTTLE CONTROL FOR GAS POWERED AUXILIARY MOTORS

www.marinetechproducts.com