

# DATAVAC ELECTRIC DUSTER

INSTRUCTION MANUAL  
MODEL  
ED-500



**DELIBERATELY MADE BETTER IN THE U.S.A.®**

**Before using, check your plug to make sure it is the proper voltage for your country.**



**UK plug 220-240 volt**



**EURO plug 220-240 volt**



**AUSTRALIAN PLUG 220-240**



**USA plug 110-120 can also be used in JAPAN**

## DATAVAC ELECTRIC DUSTER



- A. .75 HP, 4.0 AMPS, 500 WATT, 70 CFM Motor (MVC-301)**
- B. On/Off Switch (MVC-7A)**
- C. Handle (MVC-50)**
- D. Power Cord (MVC-271A)**
- E. Micro Cleaning Tool Kit Adaptor (MTC-4)**
- F. Blower Nozzle (MVC-196AA)**
- G. Air Flare (MVC-195AB)**
- H. Micro Dusting Brush (part of MTC-4)**
- I. Micro Crevice Tool (part of MTC-4)**
- J. Flex Neck Extension Wand (part of MTC-4)**
- K. Push Button**

**DELIBERATELY MADE BETTER IN THE U.S.A®**

**\*\*\*READ ALL INSTRUCTIONS BEFORE USE\*\*\***

# **DATAVAC ELECTRIC DUSTER**

## **INSTRUCTION MANUAL**

**MODEL**

**ED-500**

- 1. Plug the power unit into a standard wall outlet.**
- 2. Attach the Blower Nozzle (F), or the Air Flare (G) onto the Blower Port by depressing the Push Button (K) and with a Clockwise turning motion, firmly push on the adaptor.**
- 3. For finite cleaning, attach the Micro Cleaning Tool Kit Adaptor (E), then the Flex Neck Extension Wand (F). You can then attach the Micro Dusting Brush (H), or the Micro Crevice Tool (I).**
- 4. Pressing the On/Off Switch (B) will turn the unit on and off.**

**It is normal for the unit to get warm to the touch if used with attachments for an extended length of time.**

**DELIBERATELY MADE BETTER IN THE U.S.A®**

Avant utilisation, vérifiez votre fiche pour s'assurer qu'il est la tension appropriée pour votre pays.



Prise UK 220-240 volts



EURO prise 220-240 volts



Prise AUSTRALIAN 220-240



USA bouchon 110-120 peut également être utilisé au Japon.

# DATAVAC ELECTRIC DUSTER



- A. 0.75 HP, 4.0 AMPS, 500 WATT, 70 CFM moteur
- B. Interrupteur On / Off
- C. Poignée
- D. Cordon d'alimentation
- E. Outil de nettoyage Micro Kit Adaptateur
- F. Ventilateur buse
- G. Air Flare
- H. Micro brosse à épousseter
- I. Micro suceur plat
- J. Flex Neck Extension Wand
- K. Bouton poussoir

Délibérément fait mieux dans le U.S.A. ®

**\*\*\*LIRE TOUTES LES INSTRUCTIONS AVANT UTILISATION\*\*\***

## **DATAVAC ELECTRIC DUSTER**

### **INSTRUCTIONS MANUEL**

MODÈLE

ED-500

1. Branchez le bloc d'alimentation dans une prise murale standard.
2. Fixez le ventilateur buse (F), ou le Flare Air (G) sur le Port de ventilateur en appuyant sur le bouton-poussoir (K) et avec un mouvement de rotation dans le sens horaire, appuyez fermement sur l'adaptateur.
3. Pour le nettoyage fini, fixez le micro nettoyage Trousse adaptateur (E), puis l'extension Baguette Flex Neck (F). Vous pouvez ensuite fixer le micro brosse à épousseter (H), ou le suceur plat Micro (I).
4. Appuyez sur l'interrupteur Marche / Arrêt (B) va mettre l'appareil sous et hors tension.

**Il est normal que l'appareil se réchauffer au contact s'il est utilisé avec des pièces jointes pour une durée de temps prolongée.**

**Délibérément fait mieux dans le U.S.A. ®**

---

**Metropolitan Vacuum Cleaner Company, Inc.**  
5 Raritan Road  
Oakland, New Jersey 07436  
[WWW.METROVACWORLD.COM](http://WWW.METROVACWORLD.COM)

